

1/10/02

Set	Items	Description
S1	1	AU=(BEHERA P? OR BEHERA, P?)
S2	12479	LDAP OR LIGHT?()DIRECTOR?()ACCESS? OR DIRECTOR?()ACCESS?
S3	2006255	ATTRIBUTE? OR PROPERT?
S4	13503	READ(3N)(RIGHT? OR ACCESS? OR PRIVILEGE? OR PERMI?)
S5	54403	(WRITE? OR CHANGE? OR MODIF? OR ADD OR DELETE? OR EDIT)(2N- ) (ACCESS? OR PERMI? OR RIGHT? OR PRIVILEGE?)
S6	6160	ACL OR ACCESS()CONTROL?() (LIST? ? OR TABLE? OR PLAN? ? OR - FILE? OR LOG? ?)
S7	148279	LOCAL? AND REMOTE?
S8	0	S2 (S) S3 (S) S4 (S) S5
S9	0	S2 (S) S4 (S) S5 (S) S6
S10	0	S2 (S) S5 (S) S6
S11	0	S3 (S) S4 (S) S5 (S) S6 (S) S7
S12	39	S4 (S) S5 (S) S6
S13	0	S5 (S) S6 (S) S2
S14	65	S2 (S) S6
S15	0	S2 (S) S7 (S) S4 (S) S5
S16	26	DIRECTOR? (S) S3 (S) S4 (S) S5
S17	2	S12 AND S2
S18	4	S14 (S) (S3 OR S4 OR S5 OR S7)
S19	32	S16 OR S17 OR S18
S20	26	RD (unique items)
S21	24	S20 NOT PY>1999
S22	24	S21 NOT PD>991122
File 275:	Gale Group Computer DB(TM) 1983-2002/Jan 10 (c) 2002 The Gale Group	
File 47:	Gale Group Magazine DB(TM) 1959-2002/Jan 08 (c) 2002 The Gale group	
File 75:	TGG Management Contents(R) 86-2002/Dec W5 (c) 2002 The Gale Group	
File 636:	Gale Group Newsletter DB(TM) 1987-2002/Jan 09 (c) 2002 The Gale Group	
File 16:	Gale Group PROMT(R) 1990-2002/Jan 09 (c) 2002 The Gale Group	
File 624:	McGraw-Hill Publications 1985-2002/Jan 09 (c) 2002 McGraw-Hill Co. Inc	
File 484:	Periodical Abs Plustext 1986-2001/Dec W5 (c) 2002 ProQuest	
File 613:	PR Newswire 1999-2002/Jan 10 (c) 2002 PR Newswire Association Inc	
File 813:	PR Newswire 1987-1999/Apr 30 (c) 1999 PR Newswire Association Inc	
File 141:	Readers Guide 1983-2001/Nov (c) 2001 The HW Wilson Co	
File 239:	Mathsci 1940-2001/Feb (c) 2001 American Mathematical Society	
File 370:	Science 1996-1999/Jul W3 (c) 1999 AAAS	
File 696:	DIALOG Telecom. Newsletters 1995-2002/Jan 09 (c) 2002 The Dialog Corp.	
File 553:	Wilson Bus. Abs. FullText 1982-2001/Nov (c) 2001 The HW Wilson Co	

22/3,K/1 (Item 1 from file: 275)  
DIALOG(R)File 275:Gale Group Computer DB(TM)  
(c) 2002 The Gale Group. All rts. reserv.

02192359 SUPPLIER NUMBER: 19690413 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Web publishing for everyone. (Lotus Notes 4.5, Domino 4.5) (Software Review) (Evaluation)**  
Fogle, Dave  
Network, v12, n9, p114(1)  
Sep, 1997  
DOCUMENT TYPE: Evaluation ISSN: 0142-2383 LANGUAGE: English  
RECORD TYPE: Fulltext; Abstract  
WORD COUNT: 3729 LINE COUNT: 00301

... administrator could specify a minimal (browse-only) level of access for new users, while providing **read / modify access** to defined users or groups. Notes **Access Control Lists (ACLs)** specify which users have access to a particular database and what actions they can...

...introduce Notes 4.6 and Domino 4.6. Domino 4.6 adds support for the **Lightweight Directory Access Protocol (LDAP)**. Among the new features in the Notes client are tighter integration with Microsofts Internet Explorer...

22/3,K/2 (Item 2 from file: 275)  
DIALOG(R)File 275:Gale Group Computer DB(TM)  
(c) 2002 The Gale Group. All rts. reserv.

02159216 SUPPLIER NUMBER: 20404038 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**NFS on Windows NT. (Product Information)**  
Baker, Steven  
UNIX Review's Performance Computing, v1, n1, p19(6)  
April, 1998  
LANGUAGE: English RECORD TYPE: Fulltext; Abstract  
WORD COUNT: 3062 LINE COUNT: 00239

... with NFS v. 3 is the REaddirPLUS request. The NFS v. 2 protocol limited the **directory** REaddir request to returning only the names and a file handle of the files in the **directory**. This request generally would be followed by a whole series of individual filename LOOKUP requests in order to determine **attributes** (file or **directory**, file dates, file size, and **read / write / execute permissions**). With NFS v. 3, the NFS client can request all of this information be sent...

22/3,K/3 (Item 3 from file: 275)  
DIALOG(R)File 275:Gale Group Computer DB(TM)  
(c) 2002 The Gale Group. All rts. reserv.

02118476 SUPPLIER NUMBER: 19979604 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**OS/2: thin approach. (IBM's WorkSpace on Demand desktop management software) (PC Week Labs) (Software Review) (Evaluation)**  
Caton, Michael  
PC Week, v14, n47, p10(1)  
Nov 10, 1997  
DOCUMENT TYPE: Evaluation ISSN: 0740-1604 LANGUAGE: English  
RECORD TYPE: Fulltext; Abstract  
WORD COUNT: 902 LINE COUNT: 00075

... tuning the applications to work from a remote client.  
WorkSpace on Demand remaps applications and **directory** structures that OS/2 expects to find locally to their real location on the server. Client systems essentially run WorkSpace on Demand and applications from a single shared **directory** structure on the network, with the **properties** of individual users and classes of machines being defined using configuration files called fit files. These fit files also define **read** and **write access** to these shared **directory** structures.

Adding a new application to the server is a snap. We installed 16-bit

...

22/3,K/4 (Item 4 from file: 275)  
DIALOG(R)File 275:Gale Group Computer DB(TM)  
(c) 2002 The Gale Group. All rts. reserv.

02092622 SUPPLIER NUMBER: 19682459 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**User concepts: the core of networked environments. (differences between  
Windows 95, Windows NT and Unix) (PC Tech: Tutor) (Technology  
Tutorial) (Column) (Tutorial)**  
Randall, Neil  
PC Magazine, v16, n15, p257(2)  
Sep 9, 1997  
DOCUMENT TYPE: Column Tutorial ISSN: 0888-8507 LANGUAGE: English  
RECORD TYPE: Fulltext; Abstract  
WORD COUNT: 2418 LINE COUNT: 00187

... types. Read, Write, Execute, and Delete are all straightforward.  
Change allows reading plus changing file **attributes** and displaying  
permissions. List lets a user view a **directory**. Full Access eliminates  
all restrictions, and No Access is self-explanatory. Permissions for a file  
or folder are set by means of the **Properties** dialog, which is accessible  
through My Computer or the Windows NT Explorer.  
User rights in...

22/3,K/5 (Item 5 from file: 275)  
DIALOG(R)File 275:Gale Group Computer DB(TM)  
(c) 2002 The Gale Group. All rts. reserv.

01671376 SUPPLIER NUMBER: 15028849 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Raising the Windows curtain: LANovation's LAN Escort 3.0 ushers in network  
windows users. (Software Review) (network management software)  
(Evaluation)**  
Lopez, Stephen J.  
LAN Computing, v5, n2, p18(1)  
Feb, 1994  
DOCUMENT TYPE: Evaluation ISSN: 1055-1808 LANGUAGE: ENGLISH  
RECORD TYPE: FULLTEXT; ABSTRACT  
WORD COUNT: 885 LINE COUNT: 00072

... the NetWare bindery. It creates its own bindery objects for  
programs and printers, attaching new **properties** to user bindery objects  
for home **directories** and Windows desktops. By administering the  
configurations this way, no TSRs on the workstation or NLMs on the server  
are required. By using the bindery, **read / write access** to the  
**directory** occurs at a level that users do not have direct access to.  
The trick to...

22/3,K/6 (Item 6 from file: 275)  
DIALOG(R)File 275:Gale Group Computer DB(TM)  
(c) 2002 The Gale Group. All rts. reserv.

01603611 SUPPLIER NUMBER: 13935979 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**A network escort for Windows. (LANovation's LAN Escort interface software)  
(Software Review) (Test Drive) (Evaluation)**  
Marks, Howard  
LAN Magazine, v8, n7, p177(3)  
July, 1993  
DOCUMENT TYPE: Evaluation ISSN: 0898-0012 LANGUAGE: ENGLISH  
RECORD TYPE: FULLTEXT; ABSTRACT  
WORD COUNT: 2407 LINE COUNT: 00184

... NetWare bindery. It creates its own bindery objects for programs  
and printers and attaches new **properties** for the user bindery objects for

home **directories** and Windows desktops. Using the bindery means you don't need to grant users **read** / **write** **access** to a **directory** that holds this database, and users can't

22/3,K/7 (Item 7 from file: 275)  
DIALOG(R)File 275:Gale Group Computer DB(TM)  
(c) 2002 The Gale Group. All rts. reserv.

01515077 SUPPLIER NUMBER: 12139098 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Protect your data! (Database Report) (Tutorial)**  
Liczbanski, Michael  
Data Based Advisor, v10, n5, p114(10)  
May, 1992  
DOCUMENT TYPE: Tutorial ISSN: 0740-5200 LANGUAGE: ENGLISH  
RECORD TYPE: FULLTEXT; ABSTRACT  
WORD COUNT: 5434 LINE COUNT: 00440

... systems before deciding on one. Assess the user's real access needs and grant the **rights** to **read** , **write** , create, and erase files, **directories** , etc., accordingly, assigning only the rights the user needs. Consider modifying file **attributes** to limit global access to certain groups of files. Under NetWare, the simplest way to...

...rights to all users. (Keep in mind that restricting some types of access within a **directory** can cause mysterious error messages from some software applications.)

Also, be cautious about allowing multiple...

22/3,K/8 (Item 8 from file: 275)  
DIALOG(R)File 275:Gale Group Computer DB(TM)  
(c) 2002 The Gale Group. All rts. reserv.

01428978 SUPPLIER NUMBER: 10625152 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Taking the XENIX plunge. (the challenges a programmer faces moving from DOS to XENIX)**  
Samworth, Richard  
EXE, v5, n10, p26(4)  
April, 1991  
ISSN: 0268-6872 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT  
WORD COUNT: 3215 LINE COUNT: 00239

... life' in a subdirectory called 'games' might be expected to run life.

All files have **attributes** , know as permissions in XENIX terminology. The **permissions** are **read** , **write** and execute, and are triplicated for a given file's owner, group and 'the world...

...of the system. If a file has its execute bit set, and is not a **directory** , the shell will load and attempt to run it.

Directories, because they are files, share...

22/3,K/9 (Item 9 from file: 275)  
DIALOG(R)File 275:Gale Group Computer DB(TM)  
(c) 2002 The Gale Group. All rts. reserv.

01384319 SUPPLIER NUMBER: 09604961 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Data Access Corp.: Office Works. (Software Review) (one of 21 evaluations of electronic mail software packages in 'LAN E-mail software.')**  
(evaluation)  
Maxwell, Kimberly  
PC Magazine, v9, n20, p295(2)  
Nov 27, 1990  
DOCUMENT TYPE: evaluation ISSN: 0888-8507 LANGUAGE: ENGLISH  
RECORD TYPE: FULLTEXT; ABSTRACT  
WORD COUNT: 884 LINE COUNT: 00067

... in a Net-BIOS network, you need to set all the files so users have read and/or write privileges and set the [OW.sup.\*].BAT files in the search path **directory** to have shared rights. Once you set these special **attributes**, you must set user **rights**, **modify** logon scripts, set the NAME environment variable, and start the TSR message notification. Be sure ...

22/3,K/10 (Item 10 from file: 275)  
DIALOG(R)File 275:Gale Group Computer DB(TM)  
(c) 2002 The Gale Group. All rts. reserv.

01293118 SUPPLIER NUMBER: 07088322 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Branching out with Banyan VINES. (Banyan Systems Inc.) (includes related article on Banyan's VINES Application Toolkit)**  
Bonwilll, Brice  
PC Tech Journal, v7, n3, p114(10)  
March, 1989  
ISSN: 0738-0194 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT  
WORD COUNT: 8019 LINE COUNT: 00656

... internetwork communications between some Banyan servers.  
ARLs define the security for file access at the **directory** level (root and subdirectory), but not at the file level. VINES has four access levels for files: control access allows complete control of a **directory**, including create, modify, read, delete files and subdirectories, control **access** rights, and **delete directory**; **modify access** allows create, **modify**, **read**, and **delete**; **read access** allows **read** and copy **rights**; and null access explicitly excludes a user from all rights to a **directory**. Subdirectories with no ARLs specified automatically use ARLs of their parent **directory**. VINES also supports setting file sharing/executing **attributes** at the file level.

Service access has multiple levels of security, depending on the service...

22/3,K/11 (Item 11 from file: 275)  
DIALOG(R)File 275:Gale Group Computer DB(TM)  
(c) 2002 The Gale Group. All rts. reserv.

01256122 SUPPLIER NUMBER: 07138003 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**At the core: an API comparison. (Unix and OS-2 and application program interfaces)**  
Morris, Robert R.; Brooks, William E.  
PC Tech Journal, v6, n12, p62(12)  
Dec, 1988  
ISSN: 0738-0194 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT  
WORD COUNT: 9880 LINE COUNT: 00775

... and write access by any other process. Mandatory locking for a file is a permanent **attribute** set via bits in the **directory** entry; the system automatically locks the file for the duration of use by any process ...

22/3,K/12 (Item 12 from file: 275)  
DIALOG(R)File 275:Gale Group Computer DB(TM)  
(c) 2002 The Gale Group. All rts. reserv.

01239495 SUPPLIER NUMBER: 06230564 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Security systems rescue data from snoopers, user blunders. (electronic data processing)**  
PC Week, v5, n7, p40(1)  
Feb 16, 1988  
ISSN: 0740-1604 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT  
WORD COUNT: 1067 LINE COUNT: 00082

... DOS prompt makes all the files in the current directory read-only.  
The read-only **attribute** allows a user to look at the files, but not write to them, change them or delete them from the disk. Full **read / write access** to all the files in the current **directory** can be restored by entering ATTRIB - R \*.\*.  
Backing up data onto a floppy disk for...

**22/3,K/13 (Item 13 from file: 275)**

DIALOG(R)File 275:Gale Group Computer DB(TM)  
(c) 2002 The Gale Group. All rts. reserv.

01205847 SUPPLIER NUMBER: 04805238 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Data managers and LANs.**  
Browning, Dave  
PC Tech Journal, v5, n5, p54(10)  
May, 1987  
ISSN: 0738-0194 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT  
WORD COUNT: 8823 LINE COUNT: 00694

... a user profile for each user or group of users to restrict access to specific **directories** and files. In addition, files may be assigned combinations of **permission attributes** such as **read**, deny read, write, deny write, modify, create, extend, delete, and share. These terms do not hold the same meanings across all networks. For example, **write permission** may include both replacement of existing data and addition of new data in one system, but can be separated into the more specific **permissions** of **modify** and extend in another. Also note that not all networks provide all file permission **attributes**.

Many data managers supplement the network permission and file-attribute modes with other security mechanisms...

**22/3,K/14 (Item 1 from file: 47)**

DIALOG(R)File 47:Gale Group Magazine DB(TM)  
(c) 2002 The Gale group. All rts. reserv.

03384196 SUPPLIER NUMBER: 08360805 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Buyer's Guide to Micro Software. (evaluation)**  
Veccia, Susan  
Online, v14, n2, p112(1)  
March, 1990  
CODEN: ONLID DOCUMENT TYPE: evaluation ISSN: 0146-5422  
LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT  
WORD COUNT: 630 LINE COUNT: 00048

... security, the Network Manager can define access control lists of authorized users with the following **access** types. **Read**, **Write**, **Create**, **Delete** and **Rename** files, **Make**, **Delete** and **Lookup Directories**, **Execute** programs and **Change** file **attributes**. The Network Manager can audit access of the previous security items when access is allowed...

**22/3,K/15 (Item 1 from file: 636)**

DIALOG(R)File 636:Gale Group Newsletter DB(TM)  
(c) 2002 The Gale Group. All rts. reserv.

02497976 Supplier Number: 45018123 (USE FORMAT 7 FOR FULLTEXT)  
**DESKTOP MANAGEMENT: S&S INTRODUCES DR. SOLOMON'S SMARTDESK; WINDOWS DESKTOP MANAGEMENT & ACCESS CONTROL FOR SYSTEM ADMINISTRATORS**  
EDGE: Work-Group Computing Report, v5, n227, pN/A  
Sept 26, 1994  
Language: English Record Type: Fulltext  
Document Type: Newsletter; Trade  
Word Count: 771

... or individuals users.  
Default user types includes basic, standard, power user, supervisor,

administrator and customi... Permissions include read , write , create, delete, create/remove directories , modify attributes , file scan, execute and encryption.

#### ADMINISTRATION

Despite its extensive capabilities, SmartDesk is not as unwieldy...

22/3,K/16 (Item 2 from file: 636)  
DIALOG(R)File 636:Gale Group Newsletter DB(TM)  
(c) 2002 The Gale Group. All rts. reserv.

02474028 Supplier Number: 44959853 (USE FORMAT 7 FOR FULLTEXT)

#### Filestore

Computer Audit Update, pN/A

Sept, 1994

Language: English Record Type: Fulltext

Document Type: Newsletter; Trade

Word Count: 243

... The VME-X filestore is a typical Unix hierarchical structure, starting with root and containing **directories** and regular files. As usual each file has three sets of permissions **attributes** , one for the owner, one for the group to which the owner belongs and the third for all others users. Each set contains **read** , **write** and execute **permissions** .

Access to VME-X files is governed by both VME and VME-X privacy controls...

22/3,K/17 (Item 3 from file: 636)  
DIALOG(R)File 636:Gale Group Newsletter DB(TM)  
(c) 2002 The Gale Group. All rts. reserv.

02142029 Supplier Number: 44002509 (USE FORMAT 7 FOR FULLTEXT)

#### Unix commands

Computer Audit Update, pN/A

August, 1993

Language: English Record Type: Fulltext

Document Type: Newsletter; Trade

Word Count: 1292

... access rights to files. This is like a much more elaborate form of DOS file **attributes** . If you use the ls command with the -l option to display a list of...

...the permissions. The first '-' indicates that this is a file: a 'd' would indicate a **directory** . This is followed by three groups of three characters, which are either set to 'rwx...

...the access rights of the file's owner, its group, and other users. 'r' indicates **read access** , 'w' **write access** , and 'x' execute access. Thus in the example above, the owner can read, write, and...

22/3,K/18 (Item 1 from file: 16)  
DIALOG(R)File 16:Gale Group PROMT(R)  
(c) 2002 The Gale Group. All rts. reserv.

06481986 Supplier Number: 55131585 (USE FORMAT 7 FOR FULLTEXT)

LSI Logic eases storage management with security and NT support. (MetaStor network attached storage hubs) (Product Announcement)

Connor, Deni

Network World, pNA

July 12, 1999

Language: English Record Type: Fulltext

Article Type: Product Announcement

Document Type: Magazine/Journal; Trade

Word Count: 260

The enhancements to Works Plus software, which comes with MetaStor, include an **access control list (ACL)** and Windows NT logon server support. Through **ACL** administration, users can set file and **directory access**, as well define access rights for different operating systems - all from a single user interface. The most common **ACL attributes** are read, write or execute.

The NT logon feature lets the MetaStor storage hub act...

22/3,K/19 (Item 2 from file: 16)  
DIALOG(R)File 16:Gale Group PROMT(R)  
(c) 2002 The Gale Group. All rts. reserv.

05032001 Supplier Number: 47387878 (USE FORMAT 7 FOR FULLTEXT)  
**Netscape's Big Enterprise Push**  
Abualsamid, Ahmad  
Network Computing, p38  
May 15, 1997  
Language: English Record Type: Fulltext  
Document Type: Magazine/Journal; Trade  
Word Count: 1089

... control from traditional programming tools to create a powerful enterprise-document publishing system.

With its **access - control lists**, Enterprise Server lets you create groups that have various **read / write /lock permissions** over files in the document tree. You can create users and add them to various...

...accounts that may exist on the Unix server or any HTTP authentication users who have "**read**" **access** to documents on the server. Once groups are set up, each group of users can...

...capable of editing documents, such as Netscape Navigator Gold or Communicator.

Enterprise Server also supports **Lightweight Directory Access Protocol (LDAP)**. You can use the **LDAP** server, which is part of Netscape SuiteSpot, to create the groups and users once. After that, Enterprise Server-and any other SuiteSpot server that supports **LDAP**-simply reads that single list of groups and users to reduce maintenance headaches.

Ahmad Abualsamid...

22/3,K/20 (Item 3 from file: 16)  
DIALOG(R)File 16:Gale Group PROMT(R)  
(c) 2002 The Gale Group. All rts. reserv.

04803915 Supplier Number: 47068640 (USE FORMAT 7 FOR FULLTEXT)  
**NetWare's NDS treads lightly**  
Symoens, Jeff  
InfoWorld, p1  
Jan 27, 1997  
Language: English Record Type: Fulltext  
Document Type: Magazine/Journal; Trade  
Word Count: 1035

... Access Control Lists (ACLs) to determine which operations are allowed by which users through the **LDAP** interface. By using ACLs, I could designate which NDS **attributes** to publish to **LDAP** clients.

In addition, I was able to specify a proxy user object to regulate trustee...

22/3,K/21 (Item 4 from file: 16)  
DIALOG(R)File 16:Gale Group PROMT(R)  
(c) 2002 The Gale Group. All rts. reserv.

04724871 Supplier Number: 46956272 (USE FORMAT 7 FOR FULLTEXT)  
**Netscape Takes An Internet-Based Tack To Directories**



Computer Reseller News, p1  
Dec 9, 1996  
Language: English Record Type: Fulltext  
Document Type: Magazine/Journal; Trade  
Word Count: 4954

... entries within a database, not a hierarchy of server connections or other network configuration information.

LDAP entries generally are typed by an objectclass attribute . For example, you could restrict searches of the directory to entries whose "objectclass= acl " to locate only entries that purport to be access control lists . LDAP allows you to control which attributes are required and allowed for a particular object class, thus determining the schema rules that...

22/3,K/22 (Item 5 from file: 16)  
DIALOG(R)File 16:Gale Group PROMT(R)  
(c) 2002 The Gale Group. All rts. reserv.

02376435 Supplier Number: 43121679 (USE FORMAT 7 FOR FULLTEXT)  
**VINES v5.0 Embraces Macintosh, Stresses Security**  
Network Computing, p28  
July, 1992  
Language: English Record Type: Fulltext  
Document Type: Magazine/Journal; Trade  
Word Count: 3428

... several new options. Access rights can now be set by file as well as by directory . Directories can be assigned distinct control, search, read , write and delete rights . And files can be assigned rights to control, execute, read and write. Members of the AdminList for the file service still have control rights for all directories inside that service. Additional attributes for files, such as No Delete, can be set with the VINES SETATTR program. Still other file attributes can be set with native

22/3,K/23 (Item 6 from file: 16)  
DIALOG(R)File 16:Gale Group PROMT(R)  
(c) 2002 The Gale Group. All rts. reserv.

01984776 Supplier Number: 42542246 (USE FORMAT 7 FOR FULLTEXT)  
**Artisoft's LANTastic For Windows Gives Users A LAN With A View**  
Computer Reseller News, pc24  
Nov 25, 1991  
Language: English Record Type: Fulltext  
Document Type: Magazine/Journal; Trade  
Word Count: 1469

... of the week, and so on. You can also individually assign users any or all privileges like read , write , modify, create, delete and rename files as well as permission to make, delete and look up directories , execute programs and change file attributes ."

Despite LANTastic 4.0's efficiency in a strict peer-to-peer mode, there may...

22/3,K/24 (Item 1 from file: 484)  
DIALOG(R)File 484:Periodical Abs Plustext  
(c) 2002 ProQuest. All rts. reserv.

02803725 (USE FORMAT 7 OR 9 FOR FULLTEXT)  
**CD-ROM and multiplatform performance: The hybrid road**  
Ling, Paul  
CD-ROM Professional (LDP), v9 n5, p38-48  
May 1996  
ISSN: 1049-0833 JOURNAL CODE: LDP

DOCUMENT TYPE: Feature

LANGUAGE: English

RECORD TYPE: Fulltext; Abstract

WORD COUNT: 3711

LENGTH: Long (31+ col inches)

TEXT:

... types, most UNIX systems support the same features. UNIX file systems support long filenames, deep **directory** trees, upper and lowercase filenames, symbolic links, hard links, and character device and block device files. Each file also has **attributes** for **read** , **write** , and executable **permissions** for owner, group, and others.

One caveat to developers and users involved with all extended...